

**MILCHMOBIL 4x4  
MAKES MILK MOBILE.**



**NEW!**  
STEERABLE PENDULUM AXLE



## A SMART AID ON THE FARM

„We are very satisfied with our MilchMobil – it saves us a lot of time and effort.“

Monika Härle, Ostrach



Förster-Technik's MilchMobil is a convenient, sturdy solution that makes supplying feed to calves in individual stalls or igloos easier, saving you lots of time and work. With MilchMobil, the feed mixing, heating, transporting and dosing processes go much smoother and faster. MilchMobil 4x4 by Förster-Technik is ideally suited for a variety of different farm sizes – available in 120 and 200-liter versions.



**Horizontal tank with water bath**

The horizontal tank affords ergonomic filling. Four wheels and a low center of gravity make MilchMobil 4x4 highly stable in motion. A heated water bath gently warms the milk and stores warmth as well so calves get the feed at the right temperature.



**Cyclone cleaning**

An integrated, rotating tank cleaning nozzle conveniently cleans the tank in a few easy steps at the push of a button, so MilchMobil 4x4 is ready to go again in no time.



**Pendulum axle and steering**

The four wheels of the MilchMobil 4x4 ensure optimal driving stability and, thanks to the pendulum axle, sufficient ground contact can be ensured, even on uneven terrain. The core of the new steering system is the specially developed axle steering system. Thanks to this, the MilchMobil 4x4 always follows the farmer and makes driving child's play.

## THE ADVANTAGES AT A GLANCE



## Technical data

	MilchMobil 4x4 120 liter	MilchMobil 4x4 200 liter
Combined trolley versions	148 x 80 x 120	167 x 80 x 120

Dimensions: Length x Width x Height in cm

Components	MilchMobil 4x4 120 liter and 200 liter
Mixer	0.37 kW / 230V; 1320 rpm
Heater	4.5kW / 400V
Lead gel battery	24V / 50 Ah (2 x 12V / 50 Ah)
Portion control	24V / max. 8 A
Drive	24V/0.275 kW two speed levels max. 6 km/h
Central power supply	400V / 50Hz


**MilchMobil 4x4** comes standard-equipped with mixer, heater, tank cleaning function, user interface, portion control, two-speed drive system and LED lamp.




Drawbar head with integrated function keys



Hose drainage



Simple and easy-to-use dosing unit



Tank cover with EasyStop hinges

### Förster-Technik GmbH

Gerwigstr. 25  
D-78234 Engen, Germany  
Phone: +49(0)7733 9406-0  
Fax: +49(0)7733 9406-99  
E-mail: [info@foerster-technik.de](mailto:info@foerster-technik.de)  
Internet: [www.foerster-technik.de](http://www.foerster-technik.de)

Technical alterations reserved.  
101956 MilchMobil brochure

**FÖRSTER  
TECHNIK®**  
Automatisch besser.